

Maharashtra University of Health Sciences, Nashik
Inspection Committee Report for Academic Year 2026-2027

Clinical Material in Hospital

Name of College/Institute - R. S. Gunjal College of B.Sc Nursing

Faculty- Nursing

HOSPITAL DETAILS

Sr. No.	Particulars to be verified	Particular	Adequate/ Inadequate
1	The Institute / College shall execute a MoU with any institute for affiliation of hospital in addition to minimum 100 bedded own/parent Hospital (Affiliated hospital must be 50 bedded or more.) To be made available on web site	Available	Adequate
a.	Whether Hospital is registered under any act under Local Authority such as Corporation, Municipality, Gram Panchayat etc.: Copy to be made available on web site	Yes	Available
b.	Student Bed Ratio for UG & PG to be verified:(As per MSR) Calculate at Actual – 1:3	Yes	Available
c.	Average Bed Occupancy in % : (Minimum 75%) 80%	Yes	Available
d.	Clinical facilities for PG to be verified:-(As per MSR)	NA	
	(i) Whether OPD is functioning to be verified (ii) Total No of OPD (on the day of inspection) (iii) Average Number of patients attending OPD(current year)- 46.91/ year (iv) Average Number of Delivery (Current year) – N.A (v) Average Number of abnormal Delivery (Current year) -/yr	Yes	Available
	<ul style="list-style-type: none"> As per Central Council Norms/ University Norms, above Infrastructure must be available at College. If Infrastructure is available, then mark “Adequate” & do not attach any Documents it should be available on college website In case of “Inadequate”, it must be marked as “Inadequate” with evidence. To be submit to university with report 		

Here we declare all relevant document uploaded are clear and visible on web site & are true as per my knowledge & Belief

Any Other, Please Specify:-

Date:- 15/01/2026

Dean/ Principal Stamp & Signature

Principal

R. S. Gunjal College of B.Sc. Nursing
Gunjaliwadi Pathar, Tal. Sangamner, Dist. A' Nagar


Chairman of LIC

Member Of LIC

Member Of LIC




Scanned with OKEN Scanner



महाराष्ट्र MAHARASHTRA

© 2024 ©

36AB 809432



मुद्रांक दिनी नोंद वही अनुक्रमांक २०३६ दि 22 MAY 2025
 दस्तावें प्रकार - कर्ज प्रकरणातारी
 पुस्तक विकास पैण्डायांचे नांव ज्ञार-रास. शैजाळ १०२नीत्युट छत्येज
 तहणार/हस्ते अंक की. प्रल. स्त्री नार्थिंग
 दस्ते - २५ - अंक - कृष्णापुरे राजानंके

श्री. विलास दत्तान्नय मंडलिक
 न. वि. प. क्र. STP/Mandlik/96/9
 नामांकन देशी नामांकन नामांकन

Amhakar



MEMORANDUM OF UNDERSTANDING (MOU)

This Memorandum of understanding is made between following parties:

1. **Dhanvantari Multispeciality Hospital**
 Tajane Mala, New Nagar Road, Tal- Sangamner
 Through its Director,
 Dr. Pravinkumar Eknath Pansare (MBBS, FCPS, DNB, MNAMS)
 Age: 43 years Occupation: General Surgeon
 Dr. Dipali Pravinkumar Pansare (MD.Homeopath, MDEMS)
 Age: 39 years Occupation: Physician
 (Hereinafter called as party No.1)
2. **DRSGWF., Dr. R.S. Gunjal College of Nursing, Gujralwadi Pathar, Sangamner**
 Through its Principal,
 Sangamner, Dist- Ahmednagar
 (Hereinafter called as party No.2)





WHEREAS the party no.1, is running a 100 bedded hospital under the name and title as **Dhanvantari Multispeciality Hospital** which covers the Multispeciality and General. The said hospital is of Allopathic faculty. This said hospital is being register under Bombay Nursing Home Act. 1949 and under the Shop Act.

WHEREAS the party no.2, is an educational Society and is running College of Nursing programme, Affiliated to Maharashtra University of Health Sciences, Nashik. The party no.2 is already provided **Dhanvantari Multispeciality Hospital** and requested party no.1, for affiliation of their hospital for next 30 consecutive academic years for said college of Nursing courses for practical purpose.

WHEREAS the party no.1, has agreed to provided its **Affiliated hospital** for the purpose of clinical field experience for students in said **DESGWF., Dr.R.S. Gunjal College of Nursing, Gunjalwadi Pathar, Sangamner** conducting Nursing courses at Gunjalwadi Pathar Sangamner, Tal-Sangamner, Dist- Ahmednagar for the **academic year 2024-25**. With the effect of next 30 consecutive years (2054-55). Our Dhanvantari multispeciality hospital not affiliate with any other nursing college for clinical posting.

Therefore this agreement of above Memorandum of understanding held and for which both the parties have made their signatures below with best of their knowledge and belief on this day of

Date:

Place:

**EXECUTANT
IDENTIFIED BY**

Witnesses:-

1. Mr. Gunjal Pradip B.

A/P-Khandgaon,
Tal-Sangamner,
Dist- Ahmednagar

Dhanvantari Multispeciality Hospital


Through its Director,
Dr.Pravinkumar E.Pansare
Dr.Deepali P.Pansare
(Party no.1)

2. Mr. Phatangare Bharat B.

A/P-Pokhari Baleshwar,
Tal-Sangamner,
Dist-Ahmednagar

DRSGWF., Dr.R.S Gunjal College of Nursing,
Sangamner.

Through its Principal,
(Party no.2)



BEFORE ME

J. G. WALUNJ
Notary Govt. of India
Sangamner, Dist. Ahmednagar

**THIS DOCUMENT
CONTAINS 02 PAGES**

**NOTED & REGISTERED
AT SERIAL NO. 1744 /2025
DATE 22 / 05 /2025**



GOVT. OF MAHARASHTRA



HEALTH SERVICES

DISTRICT HOSPITAL, AHMEDNAGAR

Certificate of Registration under section 5 of the Bombay Nursing Homes Registration Act- 1949

Renewal

This is to certify that is DR.PRAVINKUMAR EKNATHRAO PANSARE & DR.DIPALI PRAVINKUMAR PANSARE had been requested under the Bombay Nursing Homes Registration Act 1949.in respect of DHANWANTARI MULTISPECIALITY HOSPITAL situated at TAJANE MALA, NEW NAGAR ROAD, SANGAMNER and has been Authorised to carry on the said Nursing home.

Registration No - 285

Mat. - 20

Date of Registration - 18/10/2014

Other - 80

Place - Ahmednagar

Total - 100 Beds

Date of issue of certificate - 31/03/2023

This Certificate of Registration shall be valid upto 31st March 2026 (Twenty Six)




Junjey (Signature)
Signature of Registering Authority
Civil Surgeon
General Hospital, Ahmednagar

Copy to - Medical Superintendent, Rural Hospital, Sangamner Dist.Ahmednagar

- Note – 1) Rights reserved to cancel certificate by issuing authority if any documents found to be incorrect.
2) As per Terms and Conditions Mentioned in our Letter.

174212025

THIS DOCUMENT
CONTAINS 2 PAGES



महाराष्ट्र MAHARASHTRA

● 2024 ●

36AB 809431


मुद्रांक दिनी नांद वही अनुक्रमांक ३७३६ दि २२ MAY २०२५
 दस्तावा प्रकार - एज प्रकरणाताठी
 मुद्रांक विक्रत धेणाच्यांचे नांव आर. पाल. गुंजाळ एक्स्ट्रीम्यूट अॅफेज
 राहणार/हस्ते ऑफ. बी. पाल. ती. नर्लिंग
 व्हर्से - २२. बा. अॅक्टुबर २०२५ नं

श्री. विलास दत्तानन्द मंडलिक

मु.वि.प.ळ. STP/Mandlik/96/9

पाण्या फारॅक्स, कचेरीसमोर, संगमनेर

Prabhakar



MEMORANDUM OF UNDERSTANDING (MOU)

This Memorandum of understanding is made between following parties:

1. Vrindavan General Hospital

Chandanapuri Ghat, Gunjalwadi Pathar, Tal- Sangamner

Through its Director,

Dr. Radhesham S. Gunjal (President DRSGWF)

(Hereinafter called as party No.1)

2. DRSGWF, Dr. R.S. Gunjal College of Nursing, Gunjalwadi Pathar, Sangamner

Through its Principal,

Tal-Sangamner, Dist- Ahmednagar

(Hereinafter called as party No.2)



WHEREAS the party no.1, is running a 50 bedded hospital under the name and title as **Vrindavan General Hospital**. The said hospital is of Allopathic faculty. This said hospital is being register under **Bombay Nursing Home Act. 1949** and under the **Shop Act**.

WHEREAS the party no.2, is an educational Society and is running College of Nursing programme, affiliated to **Maharashtra University of health Sciences, Nashik**. The party no.2 is already provided **Vrindavan General Hospital** and requested party no.1, for affiliation of their hospital for next 30 consecutive academic years for said Nursing courses for practical purpose.

1. WHEREAS the party no.1, has agreed to provided its **Own hospital** for the purpose of clinical field experience for students in said **DRSGWF., Dr. R.S. Gunjal college of Nursing, Gunjalwadi Pathar, Sangamner** conducting Nursing courses at Sangamner, Tal- Sangamner, Dist- Ahmednagar for the academic year **2024-25** with effect of next 30 consecutive years (2054-55). Our **Vrindavan General Hospital** not affiliate with any other nursing college for clinical posting.


Therefore this agreement of above Memorandum of understanding held and for which both the parties have made their signatures below with best of their knowledge and belief on this day of _____

Date:

Place:

**EXECUTANT
IDENTIFIED BY**
Witnesses:-

1. Mr. Gunjal Pradip B
A/P-Khandgaon,
Tal-Sangamner
Dist Ahmednagar



2. Mr. Phatangare Bharat B

A/P-Pokhari Baleshwar,
Tal-Sangamner,
Dist-Ahmednagar




**Medical Officer
Vrindavan General Hospital**
Gunjalwadi Pathar, Tal. Sangamner, Dist. A'Nagar

Vrindavan General Hospital
Through its Director,
Dr. Radhesham S. Gunjal
(Party no.1)

**DRSGWF., Dr.R.S Gunjal College of Nursing,
Sangamner.**

Through its Principal,
(Party no.2)



BEFORE ME

J. G. WALUNJ
Notary Govt. of India
Sangamner, Dist. Ahmednagar

**THIS DOCUMENT
CONTAINS 02 PAGES**

**NOTED & REGISTERED
AT SERIAL NO. 1742 /2025
DATE 22 / 05 /2025**

AHMEDNAGAR ZILLA PARISHAD



AHMEDNAGAR

FORM 'C'

(See Rule - 5)

Certificate of Registration Under Section 5 of the Bombay
Nursing Homes

Registration Act 1949

No. - 160/2024

This is to certify that Shri./Smt- Dr. R.S. Gunjal Welfare Foundation's requested under the Maharashtra Nursing Homes Registration Act. 2021, in respect of- Vrindavan General Hospital situated At/Po - Chandanapuri Ghat, Gunjalwadi Pathar, Tal - Sangamner , Dist- Ahmednagar and has been authorized to carry on the said nursing home.

Registration No.

- AH - 28

No. of Beds:-

50

Date of Registration

07

Place :- Ahmednagar

Date of issue of Certificate :- 23/07/2024

This Certificate of registration shall be valid upto - 31/03/2026




23/07/2024
(Dr. Bapusaheb Nagargoje)

Signature of the registering authority
District Health Officer
Zilla Parishad, Ahmednagar



Scanned with OKEN Scanner

Scanned with OKEN Scanner

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 0253 - 2365150
Fax: 0253 - 2365150
Website: <http://mpcb.gov.in>
Email: ronasik@mpcb.gov.in



Udyog Bhavan, First Floor,
Trimbak Road, Near ITI,
Satpur, Nashik - 422007

GREEN/S.S.I
No:- Format1.0/RO/UAN No.0000264069/CO/2512000666

Date: 09/12/2025

To,
**M/s. Dr R.S.Gunjal Welfare Foundation Vrindawan
Homeopathic Medical College And Hospital,
Chandarpuri Ghat, Gunjalwadi Pathar,
Tq. Sangmaner, Dist. Ahilyanagar
,**
-422620
Email: mhfhmch@gmail.com
Contact No.: 9689907307



Combined Consent to Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

Ref: Your application for Combine Consent and Bio-Medical Waste Authorization dated 28/10/2025

After examining the proposal, The Maharashtra Pollution Control Board hereby grant 1st operate Combined Consent and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. This CCA shall be in force for a period From **02-12-2025 To **01-12-2031****

2. HCF Area : - Plot Area 1200.00 M² with Built-up area 1070.00 M².
3. **Activities Included**
 - a. Total Number of Beds : **50 Nos.** (As per BNH certificate no. AH 28 valid upto 31-03-2026)
 - I. General Beds : **50 Nos**
4. **Conditions under the Water (P&CP) Act, 1974:-**
 1. Quantity of total water consumption shall not exceed 17 M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
 2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
 3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

5. **Conditions under the Air (P&CP) Act,1981:-**

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

Conditions under Hazardous and Other Wastes(Management, Handling &

6. Transboundry Movement) Rules, 2016 for treatment and disposal of hazardous waste:-

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
		NA			

7. Conditions under Solid Waste Management rules 2016

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

8. Conditions under BMW Management rules, 2016 (As Amended):-

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
2. You shall segregate and handover BMW to BMW T&D CTF **Bioclean System India Pvt Ltd, Ahilyanagar** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).

9. You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.
10. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
11. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
12. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
13. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
14. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
15. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
16. You shall submit the bank guarantee of INR 20000/- towards compliance of conditions as specified in Schedule III to The Regional Officer, MPCB, Nashik within 30 days. Non submission of B.G. in specified time shall attract revocation of this CCA without further notice

This consent is issued on the basis of information/documents submitted by the Applicant/Project Proponent, if it has been observed that the information submitted by the Applicant/Project Proponent is false, misleading or fraudulent, the Board reserves its right to revoke the consent & further legal action will be initiated against the Applicant/Project Proponent.



88631d73
3fa4ea6e
48324066
af31f4dd
f722be69
2536f775
ff44ed42
085941f7

Generated by PrintToCloud

Signed by: **Shri L. S. Bhad**
Regional Officer
For and on behalf of,
Maharashtra Pollution Control Board
ronashik@mpcb.gov.in
2025-12-09 17:48:29 IST


Received Consent/Authorization fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	25000.00	TXN2510004209	28/10/2025	Online Payment
2	2500.00	TXN2511001697	12/11/2025	Online Payment

Note:- The balanced consent fees of Rs. 15000/- shall be consider at the time of next renewal of consent..

Copy to:

1. Regional Officer, MPCB, Nashik and Sub-Regional Officer, MPCB, Ahilyanagar
2. Chief Accounts Officer, MPCB, Sion, Mumbai
3. I/C EIC- for record & website updating purpose.



Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)

- A. Water Consumption Details:-

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	15.00
3.	Pathology Laboratory, Floor washing, Operation Theater	2.00
4.	Laundry	0.00
5.	Other such as agriculture, gardening, etc.	0.00

- B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Domestic Sewage	13	As per clause 'C'	100% Recycle
2	Trade effluent	2	As per clause 'C'	100% Recycle

- C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

Sr. No.	Parameters	Discharge Standards applicable	
		Limiting Concentration in mg/except for pH	
1	pH		6.5-9.0
2	Oil & Grease		10
3	BOD (3 days 27°C)		30
4	COD		250
5	Total Suspended Solids		100
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent	

- D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.
- F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.
- G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.
- H. All Health Care Facilities irrespective of the bed capacity shall install scientifically designed disinfection facilities before discharging the effluent into sewer line or reuse in the premises as stipulated under Schedule II (6) of Biomedical waste Management Rules, 2016.

Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)

1. You shall observe following fuel pattern and erect following stack (s):


Sr. No.	Stack Attached to	Fuel Type	Quantity	Stack Height (Mtr)
----------------	--------------------------	------------------	-----------------	---------------------------

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
 - a. Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
 - b. Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - c. You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - d. Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - e. A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - f. D.G. Set shall be operated only in case of power failure.
 - g. The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - h. The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

SCHEDULE-I

Authorization for Management of Bio-Medical Waste (Category and Quantity)

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	20.00	Yellow coloured non- chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Bioclean System India Pvt Ltd, Ahilyanagar Ahilyanagar
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	30.00		
		d) Expired or Discarded Medicines	10.00		
		e) Chemical Waste	5.00		
		f) Chemical Liquid Waste	0.00		
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	3.00		
		h) Microbiology Biotechnology and other clinical laboratory waste	0.00		Autoclave safe plastic bags or containers. Pre-treat to sterilize with nonchlorinated chemicals on-site as per National AIDS Control Organisation or World Health Organisation guidelines thereafter sent to BMW-CTF for Incineration.
2	Red	Contaminated waste (Recyclable)	10.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Bioclean System India Pvt Ltd, Ahilyanagar Ahilyanagar
3	White (Translucent)	Waste sharps including Metals	2.00	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Bioclean System India Pvt Ltd, Ahilyanagar Ahilyanagar
4	Blue	a) Glassware	5.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Bioclean System India Pvt Ltd, Ahilyanagar Ahilyanagar
		b) Metallic body implants	10.00		

Responsibilities of HCF

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **Bioclean System India Pvt Ltd, Ahilyanagar** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Nashik and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).

SCHEDULE-III**Bank Guarantees**

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

Sr.No	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
1A	Performance		
1	Towards compliance of CCA conditions	Continuous	20,000.00
Total			20,000.00

Note: You shall extend the existing submitted Bank Guarantee for the Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional. Submit a fresh Bank Guarantee for the newly added Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional.

The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days from the date of issue of Consent.

If the above Bank Guarantee is not submitted within stipulated period, then 12% interest will be levied as a penalty as per circular dtd 29/02/2024 No. BO/MPCB/AS(T)/Circular/B-240229FTS0122



General Conditions**The following general conditions shall apply:-**

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Nashik.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.


14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 120 days of expiry.

This certificate is digitally & electronically signed.



3659/2023

THIS DOCUMENT
CONTAINS 2 PAGES



महाराष्ट्र MAHARASHTRA

● 2022 ●

35AA 236825




प्रांक विक्री नंद एवं चुदांक 92320
दस्तावच प्रकार बँक/फलसंस्था या इनकी वार्ता
मुद्रांक विक्रत घेणावापे द्वारा डॉ. आर. रास. गुंजाल. केलफेभट कोडिशन
राहगार/हुरवे सु. ध. 1. २०२४

दिनांक ०५/०८/२०२३

स्वीकृत दस्तावच
मुद्रांक विक्रत घेणावापे द्वारा
गुरुवार, ०५/०८/२०२३

द्वारा विलास दस्तावच प्रकार
मुद्रांक विक्रत घेणावापे द्वारा
गुरुवार, ०५/०८/२०२३



MEMORANDUM OF UNDERSTANDING (MOU)

This Memorandum of understanding is made between following parties:

1. Chaitanya Hospital

Tajane Mala, New Nagar Road, Tal- Sangamner
Through its Director,

Dr. Nitin J. Jathar (M.B.B.S.; D.T.C.D.)
(Hereinafter called as party No.1)

2. DRSGWF, Dr. R.S. Gunjal College of B.Sc.Nursing, Gujalwadi
Pathar, Sangamner

Through its Principal,
Tal-Sangamner, Dist- Ahmednagar
(Hereinafter called as party No.2)

WHEREAS the party no.1, is running a **50** bedded hospital under the name and title as **Chaitanya Hospital**. The said hospital is of **Allopathic** faculty. This said hospital is being register under **Bombay Nursing Home Act. 1949** and under the **Shop Act**.

WHEREAS the party no.2, is an **educational Society** and is running school of **B.Sc..Nursing** programme, affiliated to **Maharashtra University of Health Sciences, Nashik**. The party no.2 is already provided **Chaitanya Hospital** and requested party no.1, for affiliation of their hospital for next 5 consecutive academic years for said **College of B.Sc..Nursing** courses for practical purpose.

WHEREAS the party no.1, has agreed to provided its **Affiliated hospital** for the purpose of clinical field experience for students in said **DRSGWF Dr.R.S.Gunjal College of B.Sc.Nursing, Gunjalwadi Pathar, Sangamner** conducting **BSc.Nursing** courses at **Gunjalwadi Pathar, Sangamner, Tal- Sangamner, Dist- Ahmednagar** for the **academic year 2023-24** and for next 4 consecutive years.

Therefore this agreement of above Memorandum of understanding held and for which both the parties have made their signatures below with best of their knowledge and belief on this day of

Date: 10/08/2023



Place: Gunjalwadi

EXECUTANT

Witnesses

1. Mr. Gunjal Pradip B.

A/P-Khandgaon,
Tal-Sangamner,
Dist Ahmednagar



Chaitanya Hospital
Through its Director,
Dr. Nitin J. Jathar
(M.B.B.S, D.T.C.D.)
Consultant Chest Physician
Reg. No. 69518

2. Mr. Phatangare Bharat B.

A/P-Pokhari Baleshwar,
Tal-Sangamner,
Dist-Ahmednagar



DRSGWF., Dr.R.S Gunjal College of B.Sc. Nursing,
Sangamner.

Through its Principal,

(Party no.2)

BEFORE ME


J. G. WALUNJ
Notary Govt. of India
Sangamner, Dist. Ahmednagar

**THIS DOCUMENT
CONTAINS 2 PAGES**

**NOTED & REGISTERED
AT SERIAL NO 3659 /2023
DATE 10/08/2023**





GOVT. OF MAHARASHTRA



HEALTH SERVICES

DISTRICT HOSPITAL, AHMEDNAGAR

Certificate of Registration under section 5 of the Bombay Nursing Homes Registration Act- 1949

Renewal

This is to certify that is DR.NITIN JANARDHAN JATHAR had been requested under the Bombay Nursing Homes Registration Act 1949.in respect of CHAITANYA HOSPITAL situated at TAJANE MALA, NEW NAGAR ROAD, SANGAMNER and has been Authorised to carry on the said Nursing home.

Registration No – 98

Mat. - 00

Date of Registration - 01/12/2007

Other - 50

Place - Ahmednagar

Total - 50 Beds

Date of issue of certificate - 31/03/2023

This Certificate of Registration shall be valid upto 31st March 2026 (Twenty Six)



Signature of Registering Authority

Sanjay J
Civil Surgeon

General Hospital, Ahmednagar

Copy to - Medical Superintendent, Rural Hospital, Sangamner Dist.Ahmednagar

Note – 1) Rights reserved to cancel certificate by issuing authority if any documents found to be incorrect.

2) As per Terms and Conditions Mentioned in our Letter.

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 0253 - 2365150
Fax: 0253 - 2365150
Website: <http://mpcb.gov.in>
Email: ronasik@mpcb.gov.in



Udyog Bhavan, First Floor,
Trimbak Road, Near ITI,
Satpur, Nashik - 422007

ORANGE/S.S.I
No:- Format1.0/RO/UAN No.0000161956/CO/2312002032

Date: 20/12/2023

To,
M/s. Chaitanya Hospital
Sr. NO. 145/11, New nagar road, Opp. Nagare Hospital,
Tajanemala,
Tq. Sangamner, Dist. Ahmednagar

Email:chaitanyahospital6@gmail.com
Contact No.:9422224036



Combined Consent to Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

- Ref:**
1. Combine Consent and Bio-Medical Waste Authorization granted by the Board vide no. RO-NASHIK/CONSENT/2008000269, dtd. 07.08.2020.
 2. Your application for Combine Consent and Bio-Medical Waste Authorization dated 18/09/2023

After examining the proposal, The Maharashtra Pollution Control Board hereby grant 1st operate Combined Consent and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. This CCA shall be in force for a period From **01-04-2023** To **31-03-2029**

2. The capital investment of the HCF is **₹0.9205** Lakhs (As per C.A Certificate Submitted by HCF)

3. HCF Area: - Plot Area 606.51 M² with Built-up area 914.20 M².

4. Activities Included

a. Total Number of Beds : **50 Nos.** (As per BNH certificate no. 98 valid upto 31-03-2023)

I. General Beds : **21 Nos**

II. ICCU/ICU Beds : **17 Nos**

III. Operation Theatre : **2 Nos**

IV. Maternity Beds : **5 Nos**

V. Other Beds : **5 Nos**

5. Conditions under the Water (P&CP) Act, 1974:-

1. Quantity of total water consumption shall not exceed 17.5 M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.

2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**

3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

6. Conditions under the Air (P&CP) Act, 1981:-

1. You shall use the fuel for DG set as specified in the **Annexure-II**.

2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.

3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

Conditions under Hazardous and Other Wastes(Management, Handling &

7. Transboundary Movement) Rules, 2016 for treatment and disposal of hazardous waste:-

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
NA					

8. Conditions under Solid Waste Management rules 2016

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.

2. You shall Not mix general solid waste with Bio Medical Waste.

9. Conditions under BMW Management rules, 2016 (As Amended):-

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
 2. You shall segregate and handover BMW to BMW T&D CTF **Bioclean System India Pvt Ltd, Ahmednagar** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
 3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
 4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).
- 10.** You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.
- 11.** Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
- 12.** You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
- 13.** This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
- 14.** You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
- 15.** Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
- 16.** This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
- 17.** You shall submit the bank guarantee of INR 1.25 lakhs towards compliance of conditions as specified in Schedule III to The Regional Officer, MPCB, Nashik within 30 days. Non submission of B.G. in specified time shall attract revocation of this CCA without further notice



a3d4645a
 73c99807
 d167a895
 62299595
 c377bc7c
 f558ad7a
 637cecab
 bd93d6a2

Signed by: **Shri L. S. Bhad**
 Regional Officer
 For and on behalf of,
Maharashtra Pollution Control Board
 ronashik@mpcb.gov.in
 2023-12-20 16:20:24 IST

Received Consent/Authorization fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	4500.00	TXN2309002974	18/09/2023	Online Payment
2	7486.00	TXN2312002579	14/12/2023	Online Payment

Copy to:

1. Regional Officer, MPCB, Nashik and Sub-Regional Officer, MPCB, Ahmednagar
2. Cheif Accounts Officer, MPCB,Sion, Mumbai
3. I/C EIC- for record & website updating purpose.



Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)**A. Water Consumption Details:-**

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	17.50
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	0.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	0.00

B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Domestic Sewage	14.0	As per clause 'C'	100% Recycle
2	Trade effluent	0	As per clause 'C'	100% Recycle

C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

Sr. No.	Parameters	Discharge Standards applicable
		Limiting Concentration in mg/except for pH
1	pH	6.5-9.0
2	Oil & Grease	10
3	BOD (3 days 27°C)	30
4	COD	250
5	Total Suspended Solids	100
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent

- D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.**
- E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.**
- F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.**
- G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.**

Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)

1. You shall observe following fuel pattern and erect following stack (s):

Sr. No.	Stack Attached to	Fuel Type	Quantity	Stack Height (Mtr)
1	NA	--	--	-

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
 - a. Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
 - b. Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - c. You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper sitting and control measures.
 - d. Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - e. A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - f. D.G. Set shall be operated only in case of power failure.
 - g. The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - h. The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

SCHEDULE-I**Authorization for Management of Bio-Medical Waste (Category and Quantity)**

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	35.00	Yellow coloured non- chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Bioclean System India Pvt Ltd, Ahmednagar Ahmednagar
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	85.00		
		d) Expired or Discarded Medicines	20.00		
		e) Chemical Waste	0.00		
		f) Chemical Liquid Waste	0.00		
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	25.00		
		h) Microbiology Biotechnology and other clinical laboratory waste	30.00	Autoclave safe plastic bags or containers.	Pre-treat to sterilize with nonchlorinated chemicals on-site as per National AIDS Control Organisation or World Health Organisation guidelines thereafter sent to BMW-CTF for Incineration.
2	Red	Contaminated waste (Recyclable)	45.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Bioclean System India Pvt Ltd, Ahmednagar Ahmednagar
3	White (Translucent)	Waste sharps including Metals	35.00	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Bioclean System India Pvt Ltd, Ahmednagar Ahmednagar
4	Blue	a) Glassware	15.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Bioclean System India Pvt Ltd, Ahmednagar Ahmednagar
		b) Metallic body implants	10.00		

SCHEDULE-II

Responsibilities of CBWTF

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **Bioclean System India Pvt Ltd, Ahmednagar** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Nashik and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).

SCHEDULE-III**Bank Guarantees**

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

Sr.No	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
1A	Operation and Maintenance		
1	To Segregate and Handle BMW as per Schedule I	Continuous	25,000.00
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	50,000.00
1B	Records		
1	To Maintain records of BMW and submission of Annual Report for preceding calendar year in Form -IV before 30th June every year	Continuous	15,000.00
2	To maintain records of BMW handed over to CBMWTDF	Continuous	10,000.00
2	Performance		
1	To provide BMW separate storage facility as per guidelines of CPCB	Continuous	25,000.00
Total			1,25,000.00

Note: You shall extend the existing submitted Bank Guarantee for the Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional. Submit a fresh Bank Guarantee for the newly added Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional.

General Conditions**The following general conditions shall apply:-**


1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Nashik.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.

14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

This certificate is digitally & electronically signed.



3653/2023

THIS DOCUMENT
CONTAINS 2 PAGES

महाराष्ट्र MAHARASHTRA

● 2022 ●


35AA 236829



ताजने माला नई नगर संगमनेर
प्राचीन पुस्तकालय/पुस्तकालय कार्यालय
संगमनेर विधायक बोर्ड
डॉ. भार. राम. गुजाळ. पेलफेगर फॉरेशन
सु. वा. गगाड.
दिनांक ०५/०८/२०२३

प्राचीन पुस्तकालय संगमनेर
पिल. STP/MandS4/94/9
संस्था इंडियन कॉलेज, कांडोरामोर, संगमनेर

मुद्राक देणाराची संगमनेर



MEMORANDUM OF UNDERSTANDING (MOU)

This Memorandum of understanding is made between following parties:

1. Sai Suman Hrudralaya & Critical Care

Tajane Mala New Nagar Road, Sangamner Tal- Sangamner, Dist- Ahmednagar

Through its Director,

Dr. Girish Sawant (M.B.B.S DNB (Medicine))
(Hereinafter called as party No.1)

2. DRSGWF., Dr. R.S. Gunjal College of B.Sc., Nursing, Gujalwadi Pathar, Sangamner
Through its Principal.

Tal-Sangamner, Dist- Ahmednagar
(Hereinafter called as party No.2)

WHEREAS the party no.1, is running a 50 bedded hospital under the name and title as **Sai Suman Hrudralaya & Critical Care** The said hospital is of Allopathic faculty. This said hospital is being register under Bombay Nursing Home Act. 1949 and under the Shop Act.

WHEREAS the party no.2, is an educational Society and is running school of programme, affiliated to MSBNPE, Mumbai. The party no.2 is already provided **Sai Suman Hrudralaya & Critical Care** and requested party no.1, for affiliation of their hospital for next 06 consecutive academic years for said College of ANM/GNM courses for practical purpose.

WHEREAS the party no.1, has agreed to provided its Affiliated hospital for the purpose of clinical field experience for students in said **DRSGWF.,Dr.R.S. Gunjal College of B.Sc.Nursing,Gujalwadi Pathar,Sangamner** conducting B.Sc.Nursing courses at Sangamner, Tal- Sangamner, Dist- Ahmednagar for the academic year **2023-24** and for next 4 consecutive years .

Therefore this agreement of above Memorandum of understanding held and for which both the parties made their signatures below with best of their knowledge and belief on this day of _____

Date:- 10/08/2023

Place: Gujalwadi

EXECUTANT

Witnesses

1. Mr Gunjal Pradip B.
A/P-Khandgaon.
Tal-Sangamner.
Dist-Ahmednagar




Sai Suman Hrudralaya & Critical Care
Through its Director
Dr. Girish Sawant.
(Party no.1)




2. Mr. Phatangam Umarrat B.
A/P-Pokhari Bal Bhivar.
Tal-Sangamner.
Dist-Ahmednagar



DRSGWF.,Dr.R.S. Gunjal College of B.Sc.Nursing,Sangamner
Through its Principal,

(Party no.2)

BEFORE ME


J. G. WALUNJ
Notary Govt. of India
Sangamner, Dist. Ahmednagar



**THIS DOCUMENT
CONTAINS 2 PAGES**

**NOTED & REGISTERED
AT SERIAL NO 3653 /2023
DATE 10/08/2023**





GOVT. OF MAHARASHTRA



HEALTH SERVICES

DISTRICT HOSPITAL, AHMEDNAGAR

Certificate of Registration under section 5 of the Bombay Nursing Homes Registration Act- 1949

Renewal

This is to certify that is DR.GIRISH LAXMAN SAWANT had been requested under the Bombay Nursing Homes Registration Act 1949.in respect of SAI SUMAN HRUDAYALAYA & CRITICAL CARE CENTER situated at TAJANE MALA, NEW NAGAR ROAD, SANGAMNER and has been Authorised to carry on the said Nursing home.

Registration No - 138

Mat. - 00

Date of Registration - 29/09/2008

Other - 50

Place - Ahmednagar

Total - 50 Beds

Date of issue of certificate - 31/03/2023

This Certificate of Registration shall be valid upto 31st March 2026 (Twenty Six)



Sanjay)
Signature of Registering Authority
Civil Surgeon
General Hospital, Ahmednagar

Copy to - Medical Superintendent, Rural Hospital, Sangamner Dist.Ahmednagar

Note – 1) Rights reserved to cancel certificate by issuing authority if any documents found to be incorrect.

2) As per Terms and Conditions Mentioned in our Letter.

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 0253 - 2365150
Fax: 0253 - 2365150
Website: <http://mpcb.gov.in>
Email: ronasik@mpcb.gov.in



Udyog Bhavan, First Floor,
Trimbak Road, Near ITI,
Satpur, Nashik - 422007

GREEN/S.S.I
No:- Format1.0/RO/UAN No.0000240076/CO/2506002121

Date: 20/06/2025

To,
M/S. SAISUMAN HRUDAYALAYA & CRITICAL CARE,
NEW NAGAR ROAD , TAJANE MALA SANGAMNER,
TQ. SANGAMNER, DIST. AHILYANAGAR
,

-422605
Email:cashless.saisuman@gmail.com
Contact No.:9822040902



Combined Consent to 1st Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

Ref: Your application for Combine Consent and Bio-Medical Waste Authorization dated 14/03/2025

After examining the proposal, The Maharashtra Pollution Control Board hereby grant 1st operate Combined Consent and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. This CCA shall be in force for a period From **14-03-2025** To **13-03-2031**

2. HCF Area : - Plot Area 404.00 M² with Built-up area 518.00 M².

3. Activities Included

a. Total Number of Beds : **50 Nos.** (As per BNH certificate no. 138 valid upto 31-03-2026)

I. General Beds : **50 Nos**

4. Conditions under the Water (P&CP) Act, 1974:-

1. Quantity of total water consumption shall not exceed 17.5 M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

5. Conditions under the Air (P&CP) Act,1981:-

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

6. Conditions under Hazardous and Other Wastes(Management, Handling & Transboundry Movement) Rules, 2016 for treatment and disposal of hazardous waste:-

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
		NA			

7. Conditions under Solid Waste Management rules 2016


1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

8. Conditions under BMW Management rules, 2016 (As Amended):-

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
2. You shall segregate and handover BMW to BMW T&D CTF **Bioclean System India Pvt Ltd, Ahmednagar** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).

9. You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.
10. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
11. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
12. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
13. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
14. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
15. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
16. You shall submit the bank guarantee of INR 20000/- towards compliance of conditions as specified in Schedule III to The Regional Officer, MPCB, Nashik within 30 days. Non submission of B.G. in specified time shall attract revocation of this CCA without further notice

This consent is issued on the basis of information/documents submitted by the Applicant/Project Proponent, if it has been observed that the information submitted by the Applicant/Project Proponent is false, misleading or fraudulent, the Board reserves its right to revoke the consent & further legal action will be initiated against the Applicant/Project Proponent.



b2f2928d
7f75ec77
08655af8
16f7b922
c308d543
e16a7ed3
b66659f5
4b6cb1af
Generated by Print2Block

Signed by: **Shri L. S. Bhat**
Regional Officer
For and on behalf of,
Maharashtra Pollution Control Board
ronashik@mpcb.gov.in
2025-06-20 15:48:45 IST

Received Consent/Authorization fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	15000.00	TXN2503003450	14/03/2025	Online Payment

Copy to:

1. Regional Officer, MPCB, Nashik and Sub-Regional Officer, MPCB, Ahilyanagar
2. Cheif Accounts Officer, MPCB,Sion, Mumbai
3. I/C EIC- for record & website updating purpose.

Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)

- A. Water Consumption Details:-

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	16.50
3.	Pathology Laboratory, Floor washing, Operation Theater	1.00
4.	Laundry	0.00
5.	Other such as agriculture, gardening, etc.	0.00

- B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Domestic Sewage	13.2	As per clause 'C'	100% Recycle
2	Trade effluent	0.8	As per clause 'C'	100% Recycle

- C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

Sr. No.	Parameters	Discharge Standards applicable	
		Limiting Concentration in mg/except for pH	
1	pH		6.5-9.0
2	Oil & Grease		10
3	BOD (3 days 27°C)		30
4	COD		250
5	Total Suspended Solids		100
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent	

- D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.
- F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.
- G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.
- H. All Health Care Facilities irrespective of the bed capacity shall install scientifically designed disinfection facilities before discharging the effluent into sewer line or reuse in the premises as stipulated under Schedule II (6) of Biomedical waste Management Rules, 2016.

Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)

1. You shall observe following fuel pattern and erect following stack (s):

Sr. No.	Stack Attached to	Fuel Type	Quantity	Stack Height (Mtr)
----------------	--------------------------	------------------	-----------------	---------------------------

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
 - a. Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
 - b. Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - c. You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - d. Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - e. A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - f. D.G. Set shall be operated only in case of power failure.
 - g. The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - h. The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

SCHEDULE-I

Authorization for Management of Bio-Medical Waste (Category and Quantity)

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	25.00	Yellow coloured non- chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Bioclean System India Pvt Ltd, Ahmednagar Ahmednagar
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	90.00		
		d) Expired or Discarded Medicines	15.00		
		e) Chemical Waste	0.00		
		f) Chemical Liquid Waste	0.00		
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	65.00	Yellow coloured non - chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	10.00	Autoclave safe plastic bags or containers.	Pre-treat to sterilize with nonchlorinated chemicals on-site as per National AIDS Control Organisation or World Health Organisation guidelines thereafter sent to BMW-CTF for Incineration.
2	Red	Contaminated waste (Recyclable)	45.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Bioclean System India Pvt Ltd, Ahmednagar Ahmednagar
3	White (Translucent)	Waste sharps including Metals	30.00	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Bioclean System India Pvt Ltd, Ahmednagar Ahmednagar
4	Blue	a) Glassware	10.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Bioclean System India Pvt Ltd, Ahmednagar Ahmednagar
		b) Metallic body implants	10.00		

Responsibilities of HCF

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **Bioclean System India Pvt Ltd, Ahmednagar** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Nashik and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).

SCHEDULE-III**Bank Guarantees**

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

Sr.No	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
1A	Performance		
1	Towards compliance of CCA conditions	Continuous	20,000.00
Total			20,000.00

Note: You shall extend the existing submitted Bank Guarantee for the Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional. Submit a fresh Bank Guarantee for the newly added Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional.

The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days from the date of issue of Consent.

If the above Bank Guarantee is not submitted within stipulated period, then 12% interest will be levied as a penalty as per circular dtd 29/02/2024 No. BO/MPCB/AS(T)/Circular/B-240229FTS0122



General Conditions**The following general conditions shall apply:-**

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Nashik.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.

14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

This certificate is digitally & electronically signed.



3656/2023

THIS DOCUMENT
CONTAINS 2 PAGES

भारतीय गैर न्यायिक

एक सौ रुपये

Rs. 100

₹. 100

ONE HUNDRED RUPEES

ESTECA 2012

भारत INDIA INDIA NON JUDICIAL

महाराष्ट्र MAHARASHTRA

© 2022 ©

35AA 236827

दिनांक ०५/०८/२०१३

कौशागर कालिक, संस्कृत
पुरक्ता दिनांक

25 JUL 2023

उपकोषागार अधिकारी संगमनेर

दिनांक ०५/०८/२०२३
 नियमिती नींद दही दगुआनंक १२३२०
 इसापा प्रकार देवा/परसंका कर्ता ग्रामपालाची
 दगुआनंक दिक्षित देवापाले ०५ डा. आर. राम. गुजार. वेलफेजर. फूटुण
 संगमना०८
 राम. गुजार. सु. वा. ०८०८०८.

म. भिलास दसालव भौद्धिक
पु.वि.क्र. STP/Mandir/36/9
भावा फ्लॉर्क्स, कर्देशरभार, संगमनेर


कुप्रांक घेगसराची सरी

MEMORANDUM OF UNDERSTANDING (MOU)

This Memorandum of understanding is made between following parties:

1. Suman Psychiatric Nursing Home and Rehabilitation Center
Pune Nashik Highway, Alephata, Tal-Junnar Dist-Pune, Pin-412411
Dr. Hon. Nikhil C. Kanase, (M.B.B.S. , M.D. Psychiatry)
(Hereinafter called as party No.1)

2. DRSGWF., Dr.R.S Gunjal College of B.sc. Nursing.Gunjalwadi Pathar,Sangamner.
Through the principal ,
Chandanapuri Ghat Gunjalwadi Pathar,
Tal-Sangamner, Dist- Ahmednagar
(Hereinafter called as party No.2)



WHEREAS the party no.1, is running a **60** bedded hospital under the name and title as **Suman Psychiatric Nursing Home and Rehabilitation Center** The said hospital is of Allopathic faculty. This said hospital is being register under Bombay Nursing Home Act. 1949 and under the Shop Act.

WHEREAS the party no.2, is an educational Society and is running school of **B.sc. Nursing** programme. The party no.2 is already provided **Suman Psychiatric Nursing Home and Rehabilitation Center** and requested party no.1, for affiliation of their hospital for next **10** consecutive academic years for said College of **B.sc. Nursing** courses for practical purpose.

WHEREAS the party no.1, has agreed to provided its Affiliated hospital for the purpose of clinical field experience for students in said **DRSGWF.,Dr.R.S Gunjal Welfare Foundation ,Dr.R.S Gunjal College of B.sc. Nursing**

, **Gunjalwadi Pathar, Sangamner** conducting **B.sc. Nursing** courses at **Gunjalwadi Pathar, Sangamner, Tal- Sangamner, Dist- Ahmednagar** for the academic year **2023-24** and for next **10** consecutive years.

Therefore this agreement of above Memorandum of understanding held and for which both the parties have made their signatures below with best of their knowledge and belief on this day of


Date:- 10/08/2023

Place:- Gunjalwadi

EXECUTANT

Witnesses

1. **Mr. Gunjal Pradip B.**
A/P-Khandgaon,
Tal-Sangamner,
Dist Ahmednagar



Suman Psychiatric Nursing Home and Rehabilitation Center
Through its Director

(Party no.1)



Dr. Nikhil Kanase
(M.D.Psychiatry)
Reg. No. 2010/05/1580

2. **Mr. Phatangare Bharat B**




A/P-Pokhari Baleshwar,
Tal-Sangamner,
Dist-Ahmednagar

DRSGWF., Dr.R.S Gunjal College of B.sc. Nursing,
Sangamner.

Through its Principal,

(Party no.2)

BEFORE ME


J. G. WALUNJ
Notary Govt. of India
Sangamner, Dist. Ahmednagar

**THIS DOCUMENT
CONTAINS 2 PAGES**

NOTED & REGISTERED
AT SERIAL NO 3656 /2023
DATE 10/08/2023

